

# Voluntary safety information following the Safety Data Sheet format according to Regulation (EC) No. 1907/2006 (REACH)



Dimethyl sulfoxide ROTIPURAN® ≥99,8 %, p.a.

article number: 4720  
Version: 2.0 en  
Replaces version of: 2015-09-29  
Version: (1.0)

date of compilation: 2015-09-29  
Revision: 2017-09-19

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance	<b>Dimethyl sulfoxide</b>
Article number	4720
Registration number (REACH)	01-2119431362-50-xxxx
EC number	200-664-3
CAS number	67-68-5

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** laboratory chemical

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0

**Telefax:** +49 (0) 721 - 56 06 149

**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet : Department Health, Safety and Environment

**e-mail (competent person)** : [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

### 1.4 Emergency telephone number

Emergency information service **Poison Centre Munich: +49/(0)89 19240**

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

not required

**Signal word** not required

Dimethyl sulfoxide ROTIPURAN® ≥99,8 %, p.a.

article number: 4720

### 2.3 Other hazards

There is no additional information.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance	Dimethyl sulfoxide
Registration number (REACH)	01-2119431362-50-xxxx
EC number	200-664-3
CAS number	67-68-5
Molecular formula	C <sub>2</sub> H <sub>6</sub> OS
Molar mass	78,13 g/mol

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date

### 4.3 Indication of any immediate medical attention and special treatment needed

none

Dimethyl sulfoxide ROTIPURAN® ≥99,8 %, p.a.

article number: 4720

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings  
water spray, foam, dry extinguishing powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), sulphur oxides (SO<sub>x</sub>)

### 5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

No special measures are necessary.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8.  
Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### • Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

Dimethyl sulfoxide ROTIPURAN® ≥99,8 %, p.a.

article number: 4720

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

### Incompatible substances or mixtures

Observe hints for combined storage.

### Consideration of other advice

- **Ventilation requirements**

Use local and general ventilation.

- **Specific designs for storage rooms or vessels**

Recommended storage temperature: 15 – 25 °C.

## 7.3 Specific end use(s)

No information available.

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

### National limit values

### Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

### Relevant DNELs/DMELs/PNECs and other threshold levels

- **human health values**

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	484 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	265 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
DNEL	200 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

- **environmental values**

Endpoint	Threshold level	Environmental compartment	Exposure time
PNEC	1,7 mg/cm <sup>3</sup>	marine water	intermittent release
PNEC	17 mg/cm <sup>3</sup>	freshwater	intermittent release
PNEC	11 mg/cm <sup>3</sup>	sewage treatment plant (STP)	intermittent release
PNEC	3,41 mg/cm <sup>3</sup>	soil	intermittent release
PNEC	17 mg/l	freshwater	short-term (single instance)
PNEC	1,7 mg/l	marine water	short-term (single instance)
PNEC	11 mg/l	sewage treatment plant (STP)	short-term (single instance)
PNEC	13,4 mg/kg	freshwater sediment	short-term (single instance)
PNEC	3,02 mg/kg	soil	short-term (single instance)

Dimethyl sulfoxide ROTIPURAN® ≥99,8 %, p.a.

article number: 4720

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)



#### Eye/face protection

Use safety goggles with side protection.

#### Skin protection

- **hand protection**

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

- **type of material**

NBR (Nitrile rubber)

- **material thickness**

>0,11 mm

- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### Respiratory protection

Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

#### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	liquid (fluid)
Colour	clear
Odour	odourless
Odour threshold	No data available

#### Other physical and chemical parameters

pH (value)	This information is not available.
Melting point/freezing point	18,5 °C
Initial boiling point and boiling range	189 °C at 1.013 hPa
Flash point	87 °C at 1.013 hPa
Evaporation rate	no data available
Flammability (solid, gas)	not relevant (fluid)

Dimethyl sulfoxide ROTIPURAN® ≥99,8 %, p.a.

article number: 4720

Explosive limits

• lower explosion limit (LEL)	2,6 vol%
• upper explosion limit (UEL)	28,5 vol%
Explosion limits of dust clouds	not relevant
Vapour pressure	0,6 hPa at 20 °C 4 hPa at 50 °C
Density	1,1 g/cm <sup>3</sup> at 20 °C
Vapour density	2,7 (air = 1)
Bulk density	Not applicable
Relative density	Information on this property is not available.

Solubility(ies)

Water solubility 1.000 g/l at 25 °C

Partition coefficient

n-octanol/water (log KOW) -1,35 (pH value: 7, 20 °C) (ECHA)

Soil organic carbon/water (log KOC) 0,645 (ECHA)

Auto-ignition temperature 300 – 302 °C - ECHA

Decomposition temperature 189 °C at 1.013 hPa (ECHA)

Viscosity

• dynamic viscosity 2,14 mPa s at 20 °C

Explosive properties Shall not be classified as explosive

Oxidising properties none

**9.2 Other information**

Refractive index 1,478

Temperature class (EU, acc. to ATEX) T2 (Maximum permissible surface temperature on the equipment: 300°C)

## SECTION 10: Stability and reactivity

**10.1 Reactivity**

In case of warming: Vapours can form explosive mixtures with air.

**10.2 Chemical stability**

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**10.3 Possibility of hazardous reactions**

Violent reaction with: Strong oxidiser

Dimethyl sulfoxide ROTIPURAN® ≥99,8 %, p.a.

article number: 4720

#### 10.4 Conditions to avoid

Keep away from heat. Decomposition takes place from temperatures above: 189 °C at 1.013 hPa.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species	Source
oral	LD50	28.300 mg/kg	rat	ECHA
dermal	LD50	40.000 mg/kg	rat	ECHA

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

- **Specific target organ toxicity - single exposure**

Shall not be classified as a specific target organ toxicant (single exposure).

- **Specific target organ toxicity - repeated exposure**

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

- **If swallowed**

data are not available

- **If in eyes**

data are not available

- **If inhaled**

data are not available

Dimethyl sulfoxide ROTIPURAN® ≥99,8 %, p.a.

article number: 4720

- **If on skin**  
data are not available

**Other information**  
None

## SECTION 12: Ecological information

### 12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

#### Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	>25 g/l	fish	ECHA	48 h
EC50	24,6 g/l	aquatic invertebrates	ECHA	48 h
ErC50	17 g/l	algae	ECHA	72 h

#### Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
LC50	>25 g/l	fish	ECHA	24 h
EC50	100 mg/l	microorganisms	ECHA	30 min

### 12.2 Process of degradability

Theoretical Oxygen Demand: 1,843 mg/mg  
Theoretical Carbon Dioxide: 1,127 mg/mg

Process	Degradation rate	Time
biotic/abiotic	3,1 %	14 d
oxygen depletion	0 %	0 d

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW) -1,35 (pH value: 7, 20 °C)

BCF 3,16 (ECHA)

### 12.4 Mobility in soil

Henry's law constant 0,001 Pa m<sup>3</sup>/mol at 21 °C

The Organic Carbon normalised adsorption coefficient 0,645

### 12.5 Results of PBT and vPvB assessment

Data are not available.



Dimethyl sulfoxide ROTIPURAN® ≥99,8 %, p.a.

article number: 4720

#### 12.6 Other adverse effects

Data are not available.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Consult the appropriate local waste disposal expert about waste disposal.

##### Sewage disposal-relevant information

Do not empty into drains.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

### SECTION 14: Transport information

- |      |   |  |
|------|---|--|
| 14.1 | UN number   | (not subject to transport regulations)                                       |
| 14.2 | UN proper shipping name   | not relevant   |
| 14.3 | Transport hazard class(es)  | not relevant   |
|      | Class   | -  |
| 14.4 | Packing group   | not relevant   |
| 14.5 | Environmental hazards   | none (non-environmentally hazardous acc. to the dangerous goods regulations) |
| 14.6 | Special precautions for user  |  |
|      |   | There is no additional information.  |
| 14.7 | Transport in bulk according to Annex II of MARPOL and the IBC Code                    |  |
|      |   | The cargo is not intended to be carried in bulk.                             |
| 14.8 | Information for each of the UN Model Regulations                                      |  |
|      | • <b>Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)</b> |  |
|      |   | Not subject to ADR, RID and ADN.   |
|      | • <b>International Maritime Dangerous Goods Code (IMDG)</b>                           |  |
|      |   | Not subject to IMDG.   |
|      | • <b>International Civil Aviation Organization (ICAO-IATA/DGR)</b>                    |  |
|      |   | Not subject to ICAO-IATA.  |

Dimethyl sulfoxide ROTIPURAN® ≥99,8 %, p.a.

article number: 4720

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

- **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)**

Not listed.

- **Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)**

Not listed.

- **Regulation 850/2004/EC on persistent organic pollutants (POP)**

Not listed.

- **Restrictions according to REACH, Annex XVII**

not listed

- **List of substances subject to authorisation (REACH, Annex XIV)**

not listed

- **Seveso Directive**

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

- **Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)**

VOC content 100 %

- **Directive on industrial emissions (VOCs, 2010/75/EU)**

VOC content 100 %

- **Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II**

not listed

- **Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)**

not listed

- **Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)**

not listed

#### National inventories

Substance is listed in the following national inventories:

Dimethyl sulfoxide ROTIPURAN® ≥99,8 %, p.a.

article number: 4720

Country	National inventories	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

#### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### 16.1 Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
8.1	Occupational exposure limit values (Workplace Exposure Limits)	Occupational exposure limit values (Workplace Exposure Limits): Data are not available.	yes
8.1		• human health values: change in the listing (table)	yes
8.1		• environmental values: change in the listing (table)	yes
14.8		• International Civil Aviation Organization (ICAO-IATA/DGR): Not subject to ICAO-IATA.	yes

**Dimethyl sulfoxide ROTIPURAN® ≥99,8 %, p.a.**

article number: **4720**

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative

### Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)
- Dangerous Goods Regulations (DGR) for the air transport (IATA)
- International Maritime Dangerous Goods Code (IMDG)

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

not relevant.

**Voluntary safety information following the Safety Data Sheet  
format according to Regulation (EC) No. 1907/2006 (REACH)**



**Dimethyl sulfoxide ROTIPURAN® ≥99,8 %, p.a.**

article number: **4720**

---

**Disclaimer**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.