according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Ethanol ROTIPURAN[®] ≥ 99,8%, p.a.

article number: **9065** Version: **2.0 en** Replaces version of: 2015-10-13 Version: (1.1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1 Identification of the substance Ethanol Article number 9065 Registration number (REACH) 01-2119457610-43-XXXX Index No 603-002-00-5 EC number 200-578-6 CAS number 64-17-5 1.2 Relevant identified uses of the substance or mixture and uses advised against **Identified uses:** laboratory chemical 1.3 Details of the supplier of the safety data sheet Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany Telephone: +49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de Competent person responsible for the safety data : Department Health, Safety and Environment sheet e-mail (competent person) : sicherheit@carlroth.de 1.4 **Emergency telephone number Emergency information service** Poison Centre Munich: +49/(0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS						
Section	Hazard class	Hazard class and cat- egory	Hazard state- ment			
2.6	flammable liquid	(Flam. Liq. 2)	H225			
3.3	serious eye damage/eye irritation	(Eye Irrit. 2)	H319			

date of compilation: 2015-07-27 Revision: 2017-07-25

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Ethanol ROTIPURAN[®] ≥ 99,8%, p.a.

article number: 9065

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger





Hazard statements

H225	Highly flammable liquid and vapour
H319	Causes serious eye irritation

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P233 Keep container tightly closed.

Precautionary statements - response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Labelling of packages where the contents do not exceed 125 ml Signal word: Danger

Symbol(s)



P210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.P233Keep container tightly closed.P305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Ethanol ROTIPURAN[®] ≥ 99,8%, p.a.

article number: 9065

3.1

SECTION 3: Composition/information on ingredients

Substances	
Name of substance	Ethanol
Index No	603-002-00-5
Registration number (REACH)	01-2119457610-43-XXXX
EC number	200-578-6
CAS number	64-17-5
Molecular formula	C ₂ H ₆ O
Molar mass	46,07 ^g / _{mol}

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Vertigo, Abdominal pain, Nausea, Vomiting, Narcosis, Breathing difficulties

4.3 Indication of any immediate medical attention and special treatment needed none

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Ethanol ROTIPURAN[®] ≥ 99,8%, p.a.

article number: 9065

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture.

Hazardous combustion products

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

Solvent vapours are heavier than air and may spread along floors. Beware of reignition. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Do not breathe vapour/spray. Avoid contact with skin, eyes and clothes. Removal of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Ethanol ROTIPURAN $\mathbb{R} \ge 99,8\%$, p.a.

article number: 9065

SECTION 7: Handling and storage

7.1 **Precautions for safe handling**

Provide adequate ventilation as well as local exhaustion at critical locations. Keep container tightly closed.

• Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Use barrier cream.

Conditions for safe storage, including any incompatibilities 7.2

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

Ground/bond container and receiving equipment.

• Ventilation requirements

Use local and general ventilation.

• Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C.

Specific end use(s) 7.3

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntry	Name of agent	CAS No	Nota- tion	Identifi- er	TWA [pp m]	TWA [mg/m ³]	STEL [pp m]	STEL [mg/m ³]	Source
GB	ethanol	64-17-5		WEL	1.000	1.920			EH40/2005
Notation									

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period unless otherwise specified Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

TWA hours time-weighted average

Relevant DNELs/DMELs/PNECs and other threshold levels

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Ethanol ROTIPURAN[®] ≥ 99,8%, p.a.

article number: 9065

human health values						
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
DNEL	1.900 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects		
DNEL	343 mg/kg	human, dermal	worker (industry)	chronic - systemic effects		
DNEL	950 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects		

environmental values

Endpoint	Threshold level	Environmental compartment
PNEC	0,79 ^{mg} / _{cm³}	marine water
PNEC	2,75 ^{mg} / _{cm³}	air
PNEC	3,6 ^{mg} / _{cm³}	freshwater sediment
PNEC	580 ^{mg} / _{cm³}	sewage treatment plant (STP)
PNEC	0,63 ^{mg} / _{cm³}	soil
PNEC	0,96 ^{mg} / _{cm³}	freshwater

8.2 Exposure controls

Individual protection measures (personal protective equipment)



Eye/face protection

Use safety goggle with side protection.

Skin protection

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

type of material

Butyl caoutchouc (butyl rubber)

• material thickness

0,7mm.

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Ethanol ROTIPURAN® ≥ 99,8%, p.a.

article number: 9065

Respiratory protection

Respiratory protection necessary at:Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown). Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	
Physical state	liquid (fluid)
Colour	colourless
Odour	like: alcohol
Odour threshold	No data available
Other physical and chemical parameters	
pH (value)	7 (10 ^g / _l , 20 °C)
Melting point/freezing point	-114 °C
Initial boiling point and boiling range	78 °C
Flash point	12 °C (c.c.)
Evaporation rate	no data available
Flammability (solid, gas)	not relevant (fluid)
Explosive limits	
 lower explosion limit (LEL) 	3,5 vol%
 upper explosion limit (UEL) 	15 vol%
Explosion limits of dust clouds	not relevant
Vapour pressure	59 hPa at 20 °C
Density	0,79 ^g / _{cm³} at 20 °C
Vapour density	This information is not available.
Bulk density	Not applicable
Relative density	Information on this property is not available.
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
n-octanol/water (log KOW)	-0,31 (exp. (TOXNET))
Auto-ignition temperature	425 °C - (DIN 51794)
Decomposition temperature	no data available

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Ethanol ROTIPURAN[®] ≥ 99,8%, p.a.

article number: 9065

Viscosity

dynamic viscosity

Explosive properties

Oxidising properties

9.2 Other information

Temperature class (EU, acc. to ATEX)

1,2 mPa s at 20 °C

Shall not be classified as explosive

none

T2 (Maximum permissible surface temperature on the equipment: 300°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Risk of ignition. Vapours can form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Alkali metals, Alkaline earth metal, Acetic anhydride, Peroxides, Phosphorus oxides (e.g. P2O5), Strong oxidiser, Nitric acid, Nitrate, Perchlorates, => Explosive properties

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

plastic and rubber

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Shall not be classified as acutely toxic.

Exposure route	Endpoint	Value	Species	Source
inhalation: vapour	LC50	95,6 ^{mg} / _l /4h	rat	TOXNET
oral	LD50	7.060 ^{mg} / _{kg}	rat	TOXNET

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Ethanol ROTIPURAN® ≥ 99,8%, p.a.

article number: 9065

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

• Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

nausea, vomiting, abdominal pain, Causes damage to liver through prolonged or repeated exposure if swallowed

• If in eyes

Causes serious eye irritation

• If inhaled

vertigo, Inebriation, narcosis, breathing difficulties

• If on skin

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation)

Other information

None

SECTION 12: Ecological information

12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
EC50	>9.000 ^{mg} / _l	daphnia magna	IUCLID	48 h
LC50	8.140 ^{mg} / _l	orfe (Leuciscus idus)	IUCLID	96 h
EC5: 6500 mg/l Pseudomonas putida 16h (IUCLID)				

12.2 Process of degradability

Theoretical Oxygen Demand: 2,084 ^{mg}/_{mg} Theoretical Carbon Dioxide: 1,911 ^{mg}/_{mg}

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Ethanol ROTIPURAN® ≥ 99,8%, p.a.

article number: 9065

Process	Degradation rate	Time
biotic/abiotic	94 %	d

12.3	Bioaccumulative potential			
	Does not significantly accumulate in organisms.			
	n-octanol/water (log KOW)	-0,31		
	• • • • • •			

12.4 Mobility in soil Data are not available.

12.5 Results of PBT and vPvB assessment Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	1170
14.2	UN proper shipping name	ETHANOL
	Hazardous ingredients	Ethanol
14.3	Transport hazard class(es)	
	Class	3 (flammable liquids)
14.4	Packing group	II (substance presenting medium danger)
14.5	Environmental hazards	NONE (non-environmentally hazardous acc. to the danger- ous goods regulations)

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Ethanol ROTIPURAN® ≥ 99,8%, p.a.

article number: 9065

14.7	.7 Transport in bulk according to Annex II of MARPOL and the IBC Code The cargo is not intended to be carried in bulk.			
14.8	Information for each of the UN Model Regulations			
	• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)			
	UN number	1170		
	Proper shipping name	ETHANOL		
	Particulars in the transport document	UN1170, ETHANOL, 3, II, (D/E)		
	Class	3		
	Classification code	F1		
	Packing group	II		
	Danger label(s)	3		
	Special provisions (SP)	144, 601		
	Excepted quantities (EQ)	E2		
	Limited quantities (LQ)	1 L		
	Transport category (TC)	2		
	Tunnel restriction code (TRC)	D/E		
	Hazard identification No	33		
	Emergency Action Code	2YE		
	• International Maritime Dangerous Goods Code	e (IMDG)		
	UN number	1170		
	Proper shipping name	ETHANOL		
	Particulars in the shipper's declaration	UN1170, ETHANOL, 3, II, 12°C c.c.		
	Class	3		
	Marine pollutant	-		
	Packing group	II		
	Danger label(s)	3		
	Special provisions (SP)	144		
	Excepted quantities (EQ)	E2		
	Limited quantities (LQ)	1 L		
	EmS	F-E, S-D		
	Stowage category	A		

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Ethanol ROTIPURAN[®] ≥ 99,8%, p.a.

article number: 9065

 International Civil Aviation Organization (ICAO-IATA/DGR) 			
UN number	1170		
Proper shipping name	Ethanol		
Particulars in the shipper's declaration	UN1170, Ethanol, 3, II		
Class	3		
Packing group	II		
Danger label(s)	3		
Special provisions (SP)	A3, A58, A180		
Excepted quantities (EQ)	E2		
Limited quantities (LQ)	1 L		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

• **Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)** Not listed.

• Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS) Not listed.

• **Regulation 850/2004/EC on persistent organic pollutants (POP)** Not listed.

• Restrictions according to REACH, Annex XVII

Name of substance	CAS No	Wt%	Type of registration	Νο
Ethanol		100	1907/2006/EC annex XVII	3
Ethanol		100	1907/2006/EC annex XVII	40

• List of substances subject to authorisation (REACH, Annex XIV)

not listed

Seveso Directive

2012/18/EU (Seveso III)			
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes
P5c	flammable liquids (cat. 2, 3)	5.000 50.000	51)

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Ethanol ROTIPURAN[®] ≥ 99,8%, p.a.

article number: 9065

• Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)

VOC content

100 %

• Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content

100 %

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

National inventories

Substance is listed in the following national inventories:

- EINECS/ELINCS/NLP (Europe)
- DSL/NDSL (Canada)
- REACH (Europe)
- Toxic Substance Control Act (TSCA)

15.2 Chemical Safety Assessment

For this substance a chemical safety assessment has been carried out.

SECTION 16: Other information

16.1 Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8		Emergency Action Code: 2YE	yes
14.8		Marine pollutant: -	yes
14.8		• International Civil Aviation Organization (ICAO-IATA/DGR)	yes
14.8		UN number: 1170	yes
14.8		Proper shipping name: Ethanol	yes
14.8		Particulars in the shipper's declaration: UN1170, Ethanol, 3, II	yes
14.8		Class: 3	yes
14.8		Packing group: II	yes
14.8		Danger label(s): 3	yes
14.8		Danger label(s): change in the listing (table)	yes

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Ethanol ROTIPURAN® ≥ 99,8%, p.a.

article number: 9065

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8		Special provisions (SP): A3, A58, A180	yes
14.8		Excepted quantities (EQ): E2	yes
14.8		Limited quantities (LQ): 1 L	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
TWA	time-weighted average

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



Ethanol ROTIPURAN $\mathbb{R} \ge 99,8\%$, p.a.

article number: 9065

Abbr.	Descriptions of used abbreviations
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS) Dangerous Goods Regulations (DGR) for the air transport (IATA)

- International Maritime Dangerous Goods Code (IMDG)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	highly flammable liquid and vapour
H319	causes serious eye irritation

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.