

1

2 **Technical Specification**

3

4

5 **ATLAS Level-1 Calorimeter Trigger Upgrade**

6

7 **Topology Processor (L1Topo)**

8

9 **Katharina Bierwagen, Uli Schäfer**

10 **Who else ?**

11

12 **Draft**

13 **Version: 0.7**

14 **22 June 2017**

Table of Contents

1	Introduction	3
2	Functionality	4
2.1	Real-Time Data Path.....	4
2.1.1	Input Data	5
2.1.2	Input Data Rates.....	5
2.1.3	Algorithms.....	5
2.1.4	Data Sharing	5
2.1.5	Output.....	5
2.2	Error Handling.....	6
2.3	Latency	6
2.4	Readout Data Path	6
2.5	TTC and Clock.....	6
2.6	Module Control and Configuration.....	7
2.7	Commissioning and Diagnostic Facilities	7
2.8	Environmental Monitoring	7
2.9	ATCA form factor.....	8
3	Implementation details.....	8
3.1	Modular Design.....	8
3.2	Input Data Reception	8
3.3	Processor FPGA	9
3.4	Clocking	10
3.5	High-Speed signals on the PCB.....	10
3.6	FPGA configuration	11
3.7	The Extension Mezzanine	11
3.8	The IPM Controller	11
3.9	Power Management.....	12
3.10	Front-panel Inputs and Outputs.....	13
3.11	Rear-panel Inputs and Outputs.....	13
3.11.1	ATCA Zone 1	13
3.11.2	ATCA Zone 2	13
3.11.3	ATCA Zone 3	15
3.12	LEDs.....	15
3.13	Instrument Access Points.....	15
3.13.1	Set-Up and Control Points.....	15
3.13.2	Signal Test Points	15
3.13.3	Ground Points	16
3.14	Floor plan.....	16
4	Front-Panel Layout—update!.....	17
5	Related Documents	18
6	Glossary	18

56	7 Document History.....	20
57	8 Summary: Interfaces.....	20
58	8.1 Internal Interfaces.....	20
59	8.2 External Interfaces	21
60	8.2.1 Electrical TTC interface (backplane input)	21
61	8.2.2 Electrical DAQ interface (backplane output)	21
62	8.2.3 IPbus interface (backplane I/O)	21
63	8.2.4 DCS interfaces (backplane I/O)	21
64	8.2.5 Electrical CTP interface (front panel output)	21
65	8.2.6 Optical CTP interface (front panel output)	21
66	8.2.7 Optical FEX/Muon interface (rear input)	22
67	9 Data formats	22
68	Real-Time	22
69	9.1 Input Data.....	22
70	9.2 Real-Time Output Data.....	22
71	9.3 Backplane data formats.....	22
72		

73 **1 Introduction**

74 This document describes the specifications for the upgrade of the Level-1 topology processor
75 module (L1Topo) of the ATLAS Level-1 Calorimeter Trigger Processor (L1Calo) [1.1] . An
76 L1Topo processor has initially been introduced into the ATLAS trigger for Phase-0 during
77 Run-2 to improve trigger performance by correlating trigger objects (electromagnetic
78 clusters, jets, muons) and global quantities.

79 The new L1Topo will be installed in L1Calo during the long shutdown LS2, as part of the
80 Phase-1 upgrade, and it will operate during Run 3. It is built to be forward compatible and
81 may remain in the system after the Phase-2 upgrade in LS3, being operated in Run-4 as
82 L1Topo or L0Topo, dependent on the eventual trigger architecture in Phase-2.

83 The ATLAS Phase-1 Level-1 Trigger system comprises eFEX [1.4] , jFEX [1.5] , and gFEX
84 [1.6] subsystems as calorimeter data sources for L1Topo. They are providing trigger object
85 data, “TOBs”, to L1Topo via optical fibre bundles. Another source of trigger objects is the
86 ATLAS muon trigger subsystem.

87 L1Topo is a set of dual width ATCA [1.8] modules, operated in a single ATCA “shelf”
88 (crate), compliant with ATLAS and L1Calo standards. Real-time data are received via optical
89 fibres exclusively. L1Topo runs a large number of concurrent and independent algorithms on
90 the input data, to derive a number of trigger bits, typically one result bit and one overflow bit
91 per algorithm. The result bits are forwarded to the Central Trigger Processor, which
92 correlates these bits with further trigger and machine data to generate Level-1 Trigger and
93 associated data words, to be transmitted back to the detector. Outputs to CTP are available
94 via electrical and optical data paths.

The non-real-time data paths of L1Topo are basically identical to the L1Calo modules built for Phase-1: data are sent into the readout and the 2nd level Trigger via L1Calo RODs over the backplane of the ATCA shelf. Control and global timing are accomplished via the backplane as well. To that end, L1Calo communicates with two hub/ROD modules located in dedicated slots of the L1Topo shelf.

The Phase-1 Level-1 trigger system and the role of L1Topo within the Level1Calo system is described elsewhere in detail. Material on current Phase-0 L1Topo construction and performance is available as well. References are given in the appendix.

2 Functionality

Figure 1 shows a block diagram of L1Topo. The various aspects of L1Topo functionality are described in detail below. Implementation details are given in section 3.




Figure 1. A block diagram of the L1Topo module.

2.1 Real-Time Data Path

ATCA Backplane zone 3 of L1Topo is used for real-time data transmission. The input data enter L1Topo optically through the backplane. The fibres are fed via four blind-mate backplane connectors that carry 72 fibres each. The optical signals are converted to electrical signals in 12-fibre receivers. For reason of design density miniPOD [1.11] receivers are used. The electrical high speed signals are routed into two FPGAs, where they are deserialized in MGT receivers; the parallel data are presented to the FPGA fabric. The two FPGAs operate on their input data independently and in parallel. High bandwidth, low

latency parallel data paths allow for real-time communication between the two processors. The signal results are transmitted towards the CTP on both optical fibres and electrical cables. The electrical signals are routed via an extension mezzanine module.

2.1.1 Input Data

L1Topo will receive the topological output data of the sliding window processors from L1Calo and data from the L1Muon system. The data format transmitted into L1Topo comprises TOB data (Trigger Object data) for jets, clusters and muons. The data will consist of a description of the position of an object (jet, e/m cluster, tau and muons) along with some qualifying information, like the energy sum within the object.

2.1.2 Input Data Rates

So as to be compatible to the conflicting bitrate requirements of gFEX and eFEX, the module will be built so as to support input data rates of either 11.2 or 12.8 Gb/s on a given input channel. Since MGT input channels are organized in quads, with all four channels sharing clock generation, it is assumed that a given quad will be operated on one of the two bitrates only. Also, for the relatively small number of channels that are used for high speed output, the input bitrate might need to be chosen for compatibility with the output rate. That might create constraints for physical location of certain object types on the FPGA / on the fibre bundles.

2.1.3 Algorithms

Due to the large amount of logic resources in the chosen FPGAs, a significant number of algorithms is expected to be run on the real-time data in parallel. Most of the algorithms will be identical or very similar to the ones already introduced for Run-2. In addition, plenty of new and more complex algorithms can be added.

2.1.4 Data Sharing

Topology data are processed in two FPGAs. There is no data duplication implemented at PCB level. The two processors can communicate via a parallel bus to get access to data that cannot be received directly via the multi-gigabit links. Though according to the device data sheets higher data rates should be possible, a maximum bit rate of 640 Gb/s per differential pair is anticipated for the inter-FPGA link, which is a convenient multiple of the bunch clock frequency. That will limit parallel connectivity to 60-80 Gb/s of aggregate bandwidth (see section 3).

2.1.5 Output

The real-time output data of L1Topo to the CTP consist of individual bits indicating whether a specific algorithm passed or not plus an overflow bit. The resulting trigger data are expected to exhibit a rather small volume. They will be transmitted to CTP optically or electrically. A single fibre-optical ribbon connection per module that carries 48 fibres, running through the front panel of the module is provided for this purpose. A mezzanine

board will be required to interface L1Topo to the CTPCORE module electrically via 32 LVDS signals at low latency.

2.2 Error Handling

Input data are protected by several error detection schemes. The MGT hardware blocks can detect link errors and code errors. Additional protection is achieved by cyclic redundancy check characters included in the real-time data. Errors of all types will be monitored and the error counter will be incremented for any bunch clock cycle where there is at least one error in any input channel. Detailed information of the specific error will be stored in expert registers. Detection of an error will enforce zeroing the real-time data for the affected events.

2.3 Latency

A breakdown of the estimated latency of the real-time path of the L1Topo is given in the ATLAS TDAQ System Phase-1 Upgrade Technical Design Report [1.1] .

2.4 Readout Data Path

Upon receipt of an L1Accept all L1Topo real-time output data will be captured and sent to the DAQ. Input data capture can be made dependent on possible occurrence of reception errors, or be fixed, software programmable. The number of slices worth of data per bunch tick is programmable up to 3 ????. Data are pipelined and de-randomized on the processors and then serialized onto the backplane links to the ROD/hub modules. Region-of-Interest data (RoI) are captured separately and made available to the higher level triggers via the RoI builder.

A detailed description of the readout scheme is given at xxxx.

2.5 TTC and Clock

Timing signals are received in the L1Topo shelf via the Hub-ROD module. There, the clock is recovered and commands are decoded, before being re-encoded using a local protocol. This use of a local protocol allows the TTC interface of the shelf to be upgraded to future timing distribution schemes without any modification of the L1Topo modules.

The L1Topo module receives the clock and TTC commands from the Hub-ROD via the ATCA backplane. It receives the clock on one signal pair and the commands on a second (see section 3.11 for details).

2.6 Module Control and Configuration

An IPBus interface is provided for high-level, functional control of L1Topo. This allows, for example, algorithmic parameters to be set, modes of operation to be controlled and spy memories to be read.

IPBus is a protocol that runs over Ethernet to provide register-level access to hardware. Here, it is run over a 1000BASE-T Ethernet port, which occupies one channel of the ATCA Base Interface. On L1Topo there is a local IPBus interface in every FPGA. These interfaces contain those registers that pertain to that device. A control FPGA, residing on a mezzanine, implements the interface between the topology processors and the shelf backplane, routing IPBus packets to and from the other devices as required. The control FPGA also contains those registers which control or describe the state of the module as a whole. For those devices such as MiniPODs, which have an I²C control interface, an IPBus-I2C bridge is provided.

The processor FPGAs are configured upon power-up from flash based storage. The configuration data are clocked into the FPGAs via a parallel bus. Controller and flash memory are located on the mezzanine. For debug purposes the processors can be configured and accessed (Ibert, Chipscope ILA) via their JTAG interface.

2.7 Commissioning and Diagnostic Facilities

To aid in module and system commissioning, and help diagnose errors, the L1Topo can be placed in Playback Mode (via an IPBus command). In this mode, real-time input data to L1Topo are ignored and, instead, data are supplied from internal scrolling memories. These data are fed into the real-time path at the input to the algorithm logic, where they replace the input data from the FEXes and muons.

Optionally, the real-time output of L1Topo can also be supplied by a scrolling memory. It should be noted that, in this mode, L1Topo will process data from one set of memories, but the real-time output will be supplied by a second set of memories. Depending on the content of these memories, this may result in a discrepancy between the real-time and readout data transmitted from L1Topo.

In Playback Mode the use of the input scrolling memories is mandatory, the use of the output scrolling memories is optional, and it is not possible to enable Playback Mode for some channels but not others. Playback Mode is selected, and the scrolling memories loaded, via the IPbus interface. The scrolling memories are 256 (????) words in depth.

In addition to the above facility, numerous flags describing the status of L1Topo can be read via the IPbus control. Access points are also provided for signal monitoring, boundary scanning and the use of proprietary FPGA tools such as ChipScope and IBERT.

2.8 Environmental Monitoring

L1Topo monitors the voltage and current of all critical power rails on the board. It also monitors the temperatures of all the FPGAs, of the MiniPOD receivers and transmitters, and of other areas of dense logic. Where possible, this is done using sensors embedded in the relevant devices themselves. Where this is not possible, discrete sensors are used.

A small set of voltage and temperature data are collected by the L1Topo IPMC, via an I²C bus and are made available to ATLAS DCS via the shelf manager. Supplementary environment data are available to the control FPGA. These data can be accessed via IPbus.

FPGAs are protected against over temperature by internal monitoring and shutdown. This provides the lowest possible reaction time. Also, if any board temperature exceeds a programmable threshold set for a specific device monitored via IPMB, the IPMC powers down the board payload (that is, everything not on the management power supply). The thresholds at which this function is activated should be set above the levels at which the DCS will power down the module. Thus, this staged mechanism should activate only if the DCS fails. This might happen, for example, if there is a sudden, rapid rise in temperature to which the DCS cannot respond in time.

2.9 ATCA form factor

L1Topo is an ATCA module, conforming to the PICMG® 3.0 Revision 3.0 specifications. The modules are dual width, they occupy two adjacent slots of an ATCA shelf each.

3 Implementation details

3.1 Modular Design

L1Topo consists of an ATCA sized main board, equipped with mezzanines. The mainboard mainly carries the real-time processing circuitry: Two processor FPGAs, connected up with 12 MiniPOD devices (10 × RX, 2 × TX) each. The FPGA/MiniPOD circuitry is two exact copies placed on the same PCB.

Module control via IPbus, and breakout of the electrical links to the CTP are implemented on the “Extension Mezzanine”. FPGA configuration memories are also located on the mezzanine, along with the TTC/clock reception and conditioning. The mezzanine runs along the lower part of the front panel to allow for front panel connectivity and controls.

Further front panel connectivity and indicators are located on a separate, small front panel mezzanine in the upper part of the module.

Environmental monitoring and low level control is implemented on an IPMC controller module (LAPP IPMC).

Primary power supply is via standard PIM and converter bricks. Secondary power supplies are located on mezzanines.

3.2 Input Data Reception

L1Topo receives data from the L1Calo processors and the Muons via optical fibres. The bitrate is specified to 11.2 and 12.8Gb/s data rate, so as to be compliant with all data sources.

256 The data are required to be 8b/10b coded data streams. Each fibre carries a net data volume of
257 224 (or 256 respectively) bits of data per bunch tick.

258 The input fibres to L1Topo are organised into 4 ribbons of 72 fibres each. They are routed to
259 L1Topo via the rear of the ATCA shelf, where a rear transition module provides mechanical
260 support. Optical connections between the fibres and L1Topo are made by four 72-way Multi-
261 fibre Push-On/Pull-Off (MPO) connectors, mounted in Zone 3 of the ATCA backplane.
262 These connectors allow L1Topo to be inserted into, and extracted from, the shelf without the
263 need to handle individual ribbon connections.

264 On the L1Topo side of the MPO connectors, 20 optical ribbons (each comprising 12 fibres)
265 carry the signals to 20 MiniPOD receivers. These perform optical to electrical conversion.
266 They are mounted on board, around the Processor FPGAs, to minimise the length of the
267 multi-Gb/s PCB tracks required to transmit their output.

268 **3.3 Processor FPGA**

269 There are two Processor FPGAs on each L1Topo module. The functionality they implement
270 can be grouped into real-time, readout and slow-control functions. Both FPGAs on an
271 L1Topo module have the same wiring. Differences in functionality between Processor
272 FPGAs on the same and different modules are due to different algorithms being run and are
273 implemented via different firmware versions only.

274 Every Processor FPGA performs the following real-time functions:

- 275 • It receives, from MiniPOD optical receivers, up to 118 inputs of serial data at
276 11.2 or 12.8 Gb/s per MGT link.
- 277 • It detects any data integrity issues with help of the MGT built-in error checks and with
278 help of CRC checksums embedded in the user data.
 - 279 — Any errors are registered and counted, error counts can be read and reset via module
 - 280 control.
 - 281 — Any erroneous real-time data are zeroed.
- 282 • It allows for fine grain data alignment to word (bunch tick) boundaries.
- 283 • It allows for coarse grain data alignment in terms of full bunch ticks, up to 32 ticks.
- 284 • It runs topological algorithms on the conditioned real-time input data.
- 285 • It is able to share real-time data with the other on-board FPGA via parallel links
- 286 • It forwards the trigger results (typically a trigger bit with accompanying overflow bit) to
287 the CTP.
- 288 • The CTP is fed with trigger results bits directly from each FPGA
 - 289 — Electrically (LVDS) via the extension mezzanine
 - 290 — Optically via MiniPOD

291 On the readout path, each Processor FPGA performs the following functions.

- 292 • The Processor FPGA records the input data and the output generated on the real-time path
293 in scrolling memories, for a programmable duration of up to 3(?) μ s.

- On receipt of an L1A, it writes data from the scrolling memories to the FIFOs, for a programmable time frame. This is only done for those data enabled for readout by the control parameters.
- The Processor FPGA transmits data from the readout FIFOs to the ROD module, via a 9.6 GB/s MGT backplane link.

For module control and monitoring, each Processor FPGA contains a local IPBus interface, which provides access to registers and RAM space within the FPGAs.

The Processor FPGA footprint on L1Topo is compatible to several FPGA types from the Xilinx UltraScale(+) families. XCVU190 and VU9P are envisaged for L1Topo. They are all 2577 ball devices.

Of the 120 high speed links available in the XCVU190 or VU9P, two(?) are reserved for control purposes (TTC data and module control).

Regarding general-purpose I/O, of the total of 448 pins available, five ?? banks of 22 pairs each (???) are used for inter-FPGA data sharing. The pair count includes one pair of forwarded clock per bank. Each one-to-one bank interconnect is meant to be operated in one direction only. Receive and transmit lanes are not to be mixed within one bank. Inter-bank pin swapping is not allowed during PCB routing work.

3.4 Clocking

There are two types of clock sources on L1Topo: on-board crystal clocks and the LHC TTC clock, received from the ATCA backplane. These clock sources are fed via the clocking circuitry to the two processor FPGAs. The 40.079MHz TTC “clean” clock has potentially too much jitter to drive multi-Gb/s links directly. A PLL chip is therefore used to clean up the jitter on this clock. From the input of 40.079 MHz the PLL chip can generate clocks of frequency $n \times 40.079$ MHz within a certain range. This flexibility allows the multi-Gb/s links on the L1Topo to be driven at a range of different rates. The Si5345 has been tested and verified on the jFEX prototype and will be used on L1Topo. The clock (re)generation circuitry is located on the extension mezzanine, the individual clock trees for MGT reference clocks and global clocks are actively fanned out on the main board.

The 5? MGT reference clock trees are operated at CML signal level, they are AC coupled into the FPGAs. The main clock tree supplies the real-time inputs running at 11.2/12.8Gb/s. There are additional trees for real-time output (6.4/12.8Gb/s) and for backplane output towards the RODs (9.6Gb/s).

3.5 High-Speed signals on the PCB

L1Topo is a very high-speed and very high-density ATCA module, which has many optical fibre links and some electrical backplane links running at a speed of up to 12.8Gb/s. In addition, the tight ATLAS L1Calo latency margin requires a large number of parallel links running at up to 1Gb/s between FPGAs for data sharing on L1Topo.

Signal integrity is a challenge for the L1Topo design. It benefits, however from the detailed PCB simulations that have been done for the jFEX prototype, from which the phase-1 L1Topo is being derived.

3.6 FPGA configuration

The L1Topo mainboard houses two big Processor FPGAs. The configuration of these FPGAs is controlled from the extension mezzanine. To this end all signal lines required for either master SPI mode or slave SelectMAP are routed to the mezzanine.

The baseline configuration option is SPI mode. Though dual SPI mode (ie. Byte wide configuration) is supported by this scheme, the mezzanine currently under construction will use a single SPI flash memory chip per processor FPGA. The flash devices can be written either via JTAG or via IPbus. The latter operation will require specific firmware and software to be written.

The configuration scheme will allow for both the current production firmware and a “golden” recovery image to be stored on the SPI flash devices. Whether that feature will actually be used is as yet undecided, since the processor FPGAs can always be configured through the mezzanine-based control FPGA, even with an erased or corrupted flash chip connected up to the processors.

3.7 The Extension Mezzanine

The extension mezzanine carries mainly module control, clock/control, and configuration circuitry. It also provides initialization circuitry for the FPGAs.

VSC8221 phy ... part of above might move here..

3.8 The IPM Controller

For the purposes of monitoring and controlling the power, cooling and interconnections of a module, the ATCA specification defines a low-level hardware management service based on the Intelligent Platform Management Interface standard (IPMI). The Intelligent Platform Management (IPM) Controller is that portion of a module (in this case, L1Topo) that provides the local interface to the shelf manager via the IPMI bus. It is responsible for the following functions:

- interfacing to the shelf manager via dual, redundant Intelligent Platform Management Buses (IPMBs), it receives messages on all enabled IPMBs;
- negotiating the L1Topo power budget with the shelf manager and powering the payload hardware only once this is completed (see section 3.9);
- managing the operational state of L1Topo, handling activations and deactivations, hot-swap events and failure modes;

- 366 • implementing electronic keying, enabling only those backplane interconnects that are
367 compatible with other modules in shelf, as directed by the shelf manager;
 - 368 • providing to the Shelf Manager hardware information, such as the module serial number
369 and the capabilities of each port on backplane;
 - 370 • collecting, via an I²C bus, data on voltages and temperatures from sensors on L1Topo,
371 and optionally exchanging these data, with the control FPGA;
 - 372 • driving the ATCA-defined LEDs.
- 373 L1Topo uses the IPMC mezzanine produced by LAPP as the IPM Controller [1.12] . The
374 form factor of this mezzanine is DDR3 VLP Mini-DIMM.

375 **3.9 Power Management**

376 With regard to power, the hardware on the L1Topo is split into two domains: Management
377 hardware and Payload hardware. The Management hardware comprises the IPM Controller
378 plus the primary DC-DC converters and any non-volatile storage that this requires. By
379 default, on power up, only the Management hardware of L1Topo is powered (drawing no
380 more than 10 W), until the IPM Controller has negotiated power-up rights for the Payload
381 hardware with the shelf manager. This is in accordance with the ATCA specification.
382 However, via a hardware switch it is also possible to place L1Topo in a mode where the
383 Payload logic is powered without waiting for any negotiation with the shelf controller. This
384 feature, which is in violation of the ATCA specification, is provided for diagnostic and
385 commissioning purposes.

386 On power-up of the Payload hardware, the sequence and timing with which the multiple
387 power rails are turned on can be controlled by the IPM Controller. Alternatively, by setting
388 hardware switches, these rails can be brought up in a default sequence **defined by resistor-**
389 **capacitor networks on the module.** That's probably wrong for both jFEX and L1Topo. We are
390 using a CPLD. Anything else?

391 Excluding the optional exception noted above, the L1Topo conforms to the full ATCA
392 PICMG® specification (issue 3.0, revision 3.0), with regard to power and power
393 management. This includes implementing hot swap functionality, although this is not
394 expected to be used in the trigger system.

395 Power is supplied to L1Topo on dual, redundant -48V DC feeds. A standard power input
396 module (eg. PIM400) and a step down convertor, both “quarter brick” sized, are employed
397 for power conditioning and conversion down to 12V. This 12V supply is stepped down
398 further, by multiple (secondary) switch-mode regulators, to supply the multiplicity of
399 voltages required by the payload hardware.

400 For the power supplies to the FPGA multi-Gigabit transceivers, the PCB design guidelines
401 and noise requirements specified in the UltraScale Series FPGAs GTH Transceiver User
402 Guide (UG576) and GTY Transceiver User Guide (UG578) will be observed. The secondary
403 convertors are located on mezzanine modules.

3.10 Front-panel Inputs and Outputs

The following signals are, or can be, sent or received via the L1Topo front panel.

- Electrical differential (LVDS) signals are sent to the CTP via an SCSI VHDCI style connector, located on the mezzanine.
- Fibre-optical output to CTP via MPO/MTP connectors. A total of 48 fibres can be sent out of the front panel, largest fraction assumed to be spares for possible use at Phase-2.
- Auxiliary clock. This input allows L1Topo to be driven by an external 40 MHz clock, in the absence of a suitable clock on the backplane. The optimum physical form factor for the signal is to be identified.
- Do we want a clock output ? what else ?

The following bi-directional control interfaces are available on the front panel. See section 3.13 for the use of these interfaces.

- JTAG Boundary Scan. The optimum physical form factor for this interface is to be identified.
- 1G Ethernet socket (optional, not to be used in production environment).

3.11 Rear-panel Inputs and Outputs

3.11.1 ATCA Zone 1

This interface is configured according to the ATCA standard. The connections include

- dual, redundant -48V power supplies,
- hardware address,
- IPMB ports A and B (to the Hub module),
- shelf ground,
- logic ground.

Figure 2 shows the backplane connections between the L1Topo and the Hub module, which are located in Zones 1 and 2 of the ATCA backplane. See the ATCA specification for further details.

3.11.2 ATCA Zone 2

3.11.2.1 Base Interface

The Base Interface comprises eight differential pairs. Four of these are connected to hub slot one and are used for module control (IPbus), the other four are connected to hub slot two and are used to interface to the IPMC.

3.11.2.2 Fabric Interface

The Fabric Interface comprises 16 differential signal pairs, eight of which are connected to hub slot one, and eight of which are connected to hub slot two. Those signal pairs connected to hub slot one are used as follows:

- One signal pair is used to receive the TTC “clean” clock of 40.079 MHz.
- One signal pair is used to receive decoded TTC commands, plus near real-time signals such as ROD busy. This lane is connected into a multi-Gigabit receiver on the extension mezzanine. The exact protocol is defined by the hub module developers and is implemented in firmware. The link speed does not exceed 10 Gb/s.
- Six signal pairs are used to transmit readout data via MGT links. The protocol is defined by the ROD module developers. The link speed does not exceed 10 Gb/s. Two out of these six signal pairs are used as receivers in standard ATCA backplanes. They are operated in inverse direction on all L1Calo modules to increase the possible readout bandwidth. These two links are considered spares on L1Topo

The same connectivity is available into hub slot 2.




Figure 2. The ATCA backplane connections between the L1Topo and the Hub module.

3.11.3 ATCA Zone 3

ATCA zone 3 houses four 72-way optical MPO connectors. That allows for up to 288 fibres, carrying data from the feature extractors and muons to L1Topo (see section 3.1). These fibres are supported in the L1Topo shelf by a (passive, mechanical) rear transition module (RTM). On the L1Topo side of the connectors, fibre ribbons carry the calorimeter data to MiniPOD receivers, mounted in board. The optical connections are made on the insertion of the L1Topo into the shelf, and broken on its extraction. Dependent on the requirements, real-time output can possibly be run on otherwise dark fibres (spares). However, it is anticipated that real-time optical output connection is rather made via the front panel.

3.12 LEDs

All LEDs defined in the ATCA specifications are located on the L1Topo front panel. In addition, further status LEDs are provided on either the front panel or the top side. These indicate functions like power, Done signals, L1A receipt und further LEDs for diagnostic purposes for all FPGAs.

3.13 Instrument Access Points

3.13.1 Set-Up and Control Points

The following interfaces are provided for the set-up, control and monitoring of the L1Topo. They are intended for commissioning and diagnostic use only. During normal operation it should not be necessary to access the L1Topo via these interfaces.

- The JTAG Boundary Scan port: via this port a boundary scan test can be conducted, all FPGAs on the L1Topo can be configured, the configuration memory of the Configurator can be loaded and the FPGA diagnostic/evaluation tool ChipScope can be run, including for IBERT tests. This port is on the front panel.
- The 1G Ethernet port (optional): this port provides an auxiliary control interface to the L1Topo, over which IPBus can be run, should there be a problem with, or in the absence of, an IPBus connection over the shelf backplane. It is on the front panel and located on the extension mezzanine.

3.13.2 Signal Test Points

Due to the sensitive nature of multi-Gb/s signals, no test points are provided on PCB tracks intended to carry multi-Gb/s data. If such signals need to be examined, this must be done via firmware. Test points are placed on a selection of those data and control tracks that are not operating at multi-Gb/s.

For each FPGA, spare, general-purpose IO pins are routed to headers. Furthermore, spare multi-Gb/s transmitters and receivers are routed to SMA sockets. With appropriate firmware these connections allow internal signals, or copies of data received, to be fed to an oscilloscope, for example, or driven from external hardware.

491 The exact number of test connections, and those signals on which a test point can be placed
492 most usefully, are to be determined in the final stage of module layout.

493 **3.13.3 Ground Points**

494 At least six ground points are provided, in exposed areas on the top side of the module, to
495 allow oscilloscope probes to be grounded.

496 **3.14 Floor plan**

497 Figure 3 shows a preliminary floor plan of the L1Topo module. This will be used as a guide
498 for the layout process; the exact location of components may change.

499 The routing of c. 300 signals at multi-Gb/s presents a significant challenge for the design of
500 the L1Topo PCB. In order to minimise track lengths and routing complexity for these signals,
501 the Avago MiniPOD receivers are placed around the Processor FPGAs. However, this creates
502 an additional constraint on the layout: the need to accommodate routing paths for the fibre-
503 optic ribbons carrying the data to these receivers. To connect the MPO connectors to the
504 receivers the ribbons need to twist, curve and bypass large heat sinks on the FPGAs. It can be
505 seen in Figure 3 that large components have been excluded from some areas of the floor plan,
506 to allow space for the routing of the fibre-optic ribbons.

507 In addition to those components shown in Figure 3, glue logic is placed on the underside of
508 the module.




Figure 3. A floor plan of the L1Topo, showing a preliminary placement guide.

4 Front-Panel Layout—update!



Figure 4. Preliminary front panel layout (not to scale).

Figure 4 shows a preliminary template for the front panel layout of the L1Topo. Shown are the JTAG port for boundary scanning and FPGA access, an auxiliary Ethernet control port,

516 status LEDs and the ATCA extraction/insertion handles. These components are not drawn to
517 scale.

518 **5 Related Documents**

- 519 [1.1] ATLAS TDAQ System Phase-I Upgrade Technical Design Report,
520 CERN-LHCC-2013-018, <http://cds.cern.ch/record/1602235/files/ATLAS-TDR-023.pdf>
- 521 [1.2] L1Calo Phase-I Hub Specification
- 522 [1.3] L1Calo Phase-I ROD specification
523 ([https://twiki.cern.ch/twiki/pub/Atlas/LevelOneCaloUpgradeModules/Hub-](https://twiki.cern.ch/twiki/pub/Atlas/LevelOneCaloUpgradeModules/Hub-ROD_spec_v0_9.pdf)
524 [ROD_spec_v0_9.pdf](https://twiki.cern.ch/twiki/pub/Atlas/LevelOneCaloUpgradeModules/Hub-ROD_spec_v0_9.pdf))
- 525 [1.4] L1Calo Phase-I eFEX Specification
526 ([https://twiki.cern.ch/twiki/pub/Atlas/LevelOneCaloUpgradeModules/eFEX_spec_v0.2.](https://twiki.cern.ch/twiki/pub/Atlas/LevelOneCaloUpgradeModules/eFEX_spec_v0.2.pdf)
527 [pdf](https://twiki.cern.ch/twiki/pub/Atlas/LevelOneCaloUpgradeModules/eFEX_spec_v0.2.pdf))
- 528 [1.5] L1Calo Phase-I jFEX Specification ()
- 529 [1.6] L1Calo Phase-I gFEX Specification ()
- 530 [1.7] L1Calo Phase-I Optical Plant Specification
- 531 [1.8] ATCA Short Form Specification, http://www.picmg.org/pdf/picmg_3_0_shortform.pdf
532 disappeared, now only
533 http://www.powerbridge.de/download/know_how/ATCA_Short_spec.pdf
- 534 [1.9] PICMG 3.0 Revision 3.0 AdvancedTCA Base Specification, *access controlled*,
535 <http://www.picmg.com/>
- 536 [1.10] L1Calo High-Speed Demonstrator report
537 ([https://twiki.cern.ch/twiki/pub/Atlas/LevelOneCaloUpgradeModules/HSD_report_v1.0](https://twiki.cern.ch/twiki/pub/Atlas/LevelOneCaloUpgradeModules/HSD_report_v1.0_2.pdf)
538 [_2.pdf](https://twiki.cern.ch/twiki/pub/Atlas/LevelOneCaloUpgradeModules/HSD_report_v1.0_2.pdf))
- 539 [1.11] Foxconn 14Gb/s MiniPOD devices
540 [http://www.fit-foxconn.com/Product/ProductDetail?topClassID=&&PN=AFBR-](http://www.fit-foxconn.com/Product/ProductDetail?topClassID=&&PN=AFBR-824VXYZ)
541 [824VXYZ](http://www.fit-foxconn.com/Product/ProductDetail?topClassID=&&PN=AFBR-824VXYZ)
- 542 [1.12] Development of an ATCA IPMI controller mezzanine board to be used in the ATCA
543 developments for the ATLAS Liquid Argon upgrade,
544 <http://cds.cern.ch/record/1395495/files/ATL-LARG-PROC-2011-008.pdf>

545 **6 Glossary**

ATCA	Advanced Telecommunications Computing Architecture (industry standard).
BC	Bunch Crossing: the period of bunch crossings in the LHC and of the clock provided to ATLAS by the TTC, 24.95 ns.

DAQ	Data Acquisition.
DCS	Detector Control System: the ATLAS system that monitors and controls physical parameters of the sub-systems of the experiment, such as gas pressure, flow-rate, high voltage settings, low-voltage power supplies, temperatures, leakage currents, etc.
ECAL	The electromagnetic calorimeters of ATLAS, considered as a single system.
eFEX	Electromagnetic Feature Extractor.
FEX	Feature Extractor, referring to either an eFEX, gFEX or jFEX module or subsystem.
FIFO	A first-in, first-out memory buffer.
FPGA	Field-Programmable Gate Array.
HCAL	The hadronic calorimeters of ATLAS, considered as a single system.
IPBus	An IP-based protocol implementing register-level access over Ethernet for module control and monitoring.
IPMB	Intelligent Platform Management Bus: a standard protocol used in ATCA shelves to implement the lowest-level hardware management bus.
IPM Controller	Intelligent Platform Management Controller: in ATCA systems, that portion of a module (or other intelligent component of the system) that interfaces to the IPMB.
IPMI	Intelligent Platform Management Interface: a specification and mechanism for providing inventory management, monitoring, logging, and control for elements of a computer system. A component of, but not exclusive to, the ATCA standard.
jFEX	Jet Feature Extractor.
JTAG	A technique, defined by IEEE 1149.1, for transferring data to/from a device using a serial line that connects all relevant registers sequentially. JTAG stands for Joint Technology Assessment Group.
L0A	In Run 4, the Level-0 trigger accept signal.
L0Calo	In Run 4, the ATLAS Level-0 Calorimeter Trigger.
L1A	The Level-1 trigger accept signal.
L1Calo	The ATLAS Level-1 Calorimeter Trigger.
LHC	Large Hadron Collider.
MGT	As defined by Xilinx, this acronym stands for Multi-Gigabit Transceiver. However, it should be noted that it denotes a multi-gigabit transmitter–receiver pair.
MiniPOD	An embedded, 12-channel optical transmitter or receiver.
MicroPOD	An embedded, 12-channel optical transmitter or receiver, smaller compared to the MiniPOD.

MPO	Multi-fibre Push-On/Pull-Off: a connector for mating two optical fibres.
PMA	Physical Media Attachment: a sub-layer of the physical layer of a network protocol.
ROD	Readout Driver.
RoI	Region of Interest: a geographical region of the experiment, limited in η and ϕ , identified by the Level-1 trigger (during Run 3) as containing candidates for Level-2 trigger objects requiring further information. In Run 4, RoIs are used in the same between the Level-0 and Level-1 triggers.
Shelf	A crate of ATCA modules.
SMA	Sub-Miniature version A: a small, coaxial RF connector.
Supercell	LAr calorimeter region formed by combining E_T from a number of cells adjacent in η and ϕ .
TOB	Trigger Object.
TTC	The LHC Timing, Trigger and Control system.
XTOB	Extended Trigger Object. A data packet passed to the readout path, contained more information than can be accommodated on the real-time path.

7 Document History

Version	Comments
0.7	Internal circulation without mezzanine section

8 Summary : Interfaces

Some important details of interfaces to external systems as described above are summarized in this section.

8.1 Internal Interfaces

Do we want that section for eg. Mezzanine connectors ?

552 **8.2 External Interfaces**

553 **8.2.1 *Electrical TTC interface (backplane input)***

554 A clean clock of 40.079MHz is received as a differential electrical signal via the ATCA
555 backplane. The signal is AC-coupled on the extension mezzanine and routed into an “any-in”
556 differential receiver or a jitter cleaner????

557 The clock is accompanied by a TTC data signal, differential, AC coupled on the mezzanine,
558 electrically compatible to Xilinx MGT. The data rate is assumed to be 3.2Gb/s, 8b/10b
559 encoded. Format being defined by the hub designers.

560 Data paths supported from both hub slots 1 and 2.

561 **8.2.2 *Electrical DAQ interface (backplane output)***

562 Readout data are sent to the DAQ via ATCA backplane on 6 links, LHC bunch clock
563 synchronous(?) AC coupled on L1Topo, Xilinx MGT compatible, below 10Gb/s. Data paths
564 are supported into both hub slots 1 and 2. The data formats are being defined by the hub/ROD
565 community. Readout paths supported from both FPGAs to both hub slots, ie. a total of 4
566 times 2+1 spare link.

567 **8.2.3 *IPbus interface (backplane I/O)***

568 Module control links are standard Gigabit Ethernet via the backplane from/to hub slot 1. The
569 phy chip is located on the extension mezzanine. The envisaged phy chip (VSC8221) allows
570 for magnetics-free, capacitive coupling, which will be the baseline.

571 **8.2.4 *DCS interfaces (backplane I/O)***

572 The IPMC module is linked to the outside world via an I2C (IPMB) bus in ATCA Zone1, and
573 a standard Ethernet link to hub slot 2 via the base interface.

574 **8.2.5 *Electrical CTP interface (front panel output)***

575 The Central Trigger Processor is interfaced electrically via a VHDCI SCSI style connector.
576 Pinout is unchanged with respect to the Phase-0 L1Topo module. Signals level is LVDS. All
577 signal pairs can be driven from the two processor FPGAs. The allocation of pairs to
578 individual FPGAs is implemented on the extension mezzanine. The interface is assumed to be
579 data lines only, though parity and clock signals could be generated in FPGAs if required. The
580 signal level is LVDS.

581 **8.2.6 *Optical CTP interface (front panel output)***

582 The Central Trigger Processor is interfaced fibre-optically via an MTP/MPO connector on the
583 front panel. Up to 48 total fibres can be driven from the two processor FPGAs through

MiniPODs. The maximum bitrate is 14Gb/s, the interface is assumed to run at 6.4/12.8 Gb/s synchronous to the LHC clock. Data encoding is 8b/10b.

8.2.7 *Optical FEX/Muon interface (rear input)*

The calorimeter FEXes (e/j/g-FEX) and the muon trigger are fibre-optically interfaced via the backplane, on 72-way MTP/MPO connectors. The mechanical interface to the RTM is Molex MTP-CPI. Four of these shrouds are available in ATCA Zone3. The signals are routed through MiniPODs (up to 14 Gb/s) and received into FPGAs via GTH/GTY links. Encoding is 8b/10b. Data rate is specified for mixed operation 11.2/12.8Gb/s. Signal rates are not to be mixed in same quad.

9 Appendix : Data formats

The formats of the data received and generated by L1Topo are about to be finalised. Details are found in separate documents. This section gives a coarse overview only.

9.1 Real-Time Input Data

Real-time input from FEXes and Muon Trigger is 8b/10b-encoded at 11.2 or 12.8 Gb/s. This yields a line capacity of 224 or 256 bits total per bunch crossing. The raw data are accompanied by a CRC check sum and by comma characters, required for line synchronization. Comma characters are sent upon link start-up and in otherwise empty data fields, replacing 0x00 data bytes. Comma characters are injected in fixed and unique positions within a full-BC data word only. For purpose of overall alignment and monitoring bunch count information is embedded into the data stream as well.

9.2 Real-Time Output Data

The Real-time output of L1Topo into the CTP is composed of trigger information, accompanied by overflow information, one overflow bit per trigger bit (?). On the electrical interface this information is sent without any further formatting, as an 80Mb/s stream. On the optical interface the raw data will be protected by a CRC check sum and aligned with help of embedded comma characters, plus overall alignment with embedded bunch count information.

9.3 Backplane data formats

Readout streams into DAQ and RoI systems are routed through the two hub/ROD modules in the shelf. The formats on the data links are defined by the ROD community. It should be noted that it will not be possible to run all DAQ or RoI output in a channel bonded scheme, since it is actually two separate streams from distinct sources, the two processor FPGAs.

The TTC data running on the backplane from the hub modules to the L1Topo modules are re-coded on the hub. The exact protocol is being defined by the hub designer community.